



The Health Effects of Wildfire Smoke

Introduction

The Western United States has seen rapid increases in the length of its fire season, the number of annual fires, and the amount of land burned by wildfires over the last few decades.¹ This trend is expected to continue in the future.² While the fires themselves are a major hazard, exposure to wildfire smoke is also a serious public health concern.

Wildfire smoke contains tiny, partially-combusted particles—those 10 micrometers (μm) in diameter (PM10) or smaller can enter the lungs through the nose or throat, causing irritation or long-term damage.³ The most dangerous are the smaller particles (PM2.5 or smaller) which can enter the bloodstream.³ PM2.5 exposure from all sources is a significant environmental risk factor for human health effects across the globe.⁴

Smoke from wildfires can travel long distances and increase PM2.5 levels in the air far from the source.⁵ During wildfire events, the average indoor concentration of PM2.5 has been shown to nearly triple, even with measures taken to reduce infiltration from outside air.⁶ Under high-emissions scenarios, wildfire smoke could be the primary source of global PM2.5 exposure as early as 2100.⁷ It is vitally important to understand how wildfire smoke affects human health. This factsheet provides an overview of the health impacts of wildfire smoke exposure as represented in the current literature.

Vulnerable Populations

In addition to the increasing severity of wildfire seasons, our expanding wildland-urban interface (where human settlement runs up against undeveloped land) is increasing the number of communities at risk.⁸ Those most vulnerable to wildfires are those with existing chronic conditions (particularly heart or lung disease), such as asthma, chronic obstructive pulmonary disease (COPD), emphysema, heart failure, angina, or ischemic heart disease.^{7,16,17} Women with asthma and COPD tend to be more severely impacted than men.^{9,10} Finally, older adults, young children, teenagers, pregnant women, and individuals of low socioeconomic status have all been shown to be at increased risk of smoke exposure and/or associated health impacts.^{1,17,18}



A Note on Responders


Despite evidence that continuous exposure to wildfire smoke in an occupational setting may have more pronounced health impacts than in the general public, responders (especially non-traditional responders like civilians and prison inmates) are understudied.¹¹⁻¹⁶ A few of the occupational health impacts include:

- Impaired lung functioning, though the duration of impairment is less well established^{11,13,16}
- Increased risk for developing severe COVID-19¹²
- Mental health impacts, such as PTSD and impaired sleep quality and quantity¹⁴

What's in Wildfire Smoke?

The chemical composition and toxicity of wildfire smoke varies by the landscape, stage of the wildfire's combustion (open flames versus smoldering), and fuel type.¹⁷ Wildfire-specific PM2.5 may be up to ten times more harmful to human health than PM2.5 from any other source.¹⁸ In addition to PM2.5, wildfire smoke may also contain the following pollutants of concern:¹⁹

- Greenhouse gasses, including carbon dioxide (CO₂), methane (CH₄), and nitrous oxide (N₂O)
- Carbon monoxide (CO)
- Nitrogen dioxide
- Ozone
- Polycyclic aromatic hydrocarbons (PAHs)
- Photochemically reactive compounds (e.g., CO, nonmethane volatile organic carbon, nitrogen oxides)
- Volatile organic compounds (VOCs)
- HCN, HF, HCl, isocyanates,
- Dioxins and furans
- Toxic organic compounds (e.g., benzene toluene, xylenes, styrene, formaldehyde, etc.)
- Metals (e.g., Cr, Cd, As, etc.)
- Acrolein
- Benzene






Acute Impacts

Exposure to wildfire smoke can immediately produce several unpleasant short-term health effects, even in healthy individuals. The most commonly reported health impacts are:²⁰


- Physiological: stinging eyes, scratchy throat, runny nose, irritated sinuses, headaches, tiredness
- Respiratory: coughing, trouble breathing, wheezing, asthma attacks
- Cardiovascular: chest pain, rapid heartbeat



Cardiovascular Impacts

Compared to respiratory impacts, less research has been done on the cardiovascular and cerebrovascular health impacts of smoke exposure. However, plausible biological pathways have been established.^{21,24} Some studies have associated wildfire smoke exposure with cardiovascular mortality and all-cause cardiovascular disease emergencies for up to a week after the event.^{10,23,25–28}

The most commonly reported cardiovascular issues are hypertension, non-traumatic intracranial hemorrhage, stroke, heart failure, ischemic heart disease, dysrhythmia, and pulmonary embolism.^{24,25}



Respiratory Impacts

Most studies agree that wildfire smoke is associated with an increase in respiratory morbidity. In the days following exposure, asthma and COPD can be exacerbated and may result in medical emergencies.^{7,13,21–23}

Even otherwise-healthy adults may experience reduced lung functioning for years after exposure.^{13,22} There is some evidence that smoke exposure results in increased rates of respiratory infection (e.g., bronchitis and pneumonia), though this is inconclusive.^{8,10,13}



Other Impacts

There are numerous other adverse health impacts associated with wildfire smoke exposure. These include:

- Neurological impacts. Neurological aging and increased incidence of Alzheimer's disease and dementia have been linked to wildfire-derived PM2.5 exposure.²⁵ Some groups may experience increased risk of cerebrovascular conditions, but more research is needed.²⁹
- Gestational health outcomes. In-utero exposure to wildfire smoke has been linked to reduced birthweights, increased preterm births, and long-term stunted growth.^{7,10,15,30,31} Exposed pregnant mothers are also at heightened risk of gestational diabetes and gestational hypertension.⁷
- Cancer. Exposure to hazardous air pollutants (HAPs) released during wildfires increases the risk of cancer development, especially lung cancer; wildfires have been described to account for a third of the excess risk of cancer due to HAPs.³⁰
- Other general health outcomes. Multiple studies have shown adverse association between smoke exposure and bone marrow content, systemic inflammation, ability to exercise, physical strength, and overall health.^{10,32}

Mental Health*

Wildfire smoke exposure impacts mental health. Persistent smoke exposure and/or having to shelter indoors from wildfire smoke may have mental health impacts such as stress, depression, heightened anxiety, isolation/loneliness, and a lack of motivation.^{14,32} A high number of smoky days may also contribute to the development of solastalgia, or grief related to environmental change.¹⁴

*For more on the mental health impacts of disasters, see "Mental Health Impacts of Natural Hazards" factsheet

Mortality

There is significant evidence that exposure to wildfire smoke increases all-cause mortality for a few days after the exposure.^{21,33,34} Respiratory mortality risk is particularly high after smoke exposure.³⁴ Given lag time and the fact that the exposure primarily exacerbates existing conditions, it can be difficult to attribute deaths to wildfire smoke exposure. A commonly cited study estimates that 33,510 all-cause deaths a year are attributed to wildfire smoke exposure.³⁴ This number is reported from a study that had limited study sites, and was meant to estimate comparative mortality rates, not counts. As such, this statistic likely severely underestimates the actual number of deaths a year globally.³⁴

References

1. Dennison PE, Brewer SC, Arnold JD, Moritz MA. Large wildfire trends in the western United States, 1984-2011. *Geophys Res Lett*. 2014;41(8):2928-2933. doi:10.1002/2014gl059576
2. Yue X, Mickley LJ, Logan JA, Kaplan JO. Ensemble projections of wildfire activity and carbonaceous aerosol concentrations over the western United States in the mid-21st century. *Atmos Environ*. 2013;77:767-780. doi:10.1016/j.atmosenv.2013.06.003
3. US EPA O. Why Wildfire Smoke is a Health Concern. Published online August 13, 2019. Accessed April 20, 2023. <https://www.epa.gov/wildfire-smoke-course/why-wildfire-smoke-health-concern>
4. GBD cause and risk summaries. Accessed May 19, 2023. <https://www.thelancet.com/gbd/summaries>
5. Xie Y, Lin M, Horowitz LW, Summer PM. 2.5 pollution extremes caused by wildfires over the western United States during 2017–2018. *Geophys Res Lett*. 2020;47(16). doi:10.1029/2020gl089429
6. Liang Y, Sengupta D, Campmier MJ, Lunderberg DM, Apte JS, Goldstein AH. Wildfire smoke impacts on indoor air quality assessed using crowdsourced data in California. *Proc Natl Acad Sci U S A*. 2021;118(36). doi:10.1073/pnas.2106478118
7. Ebi KL, Vanos J, Baldwin JW, et al. Extreme Weather and Climate Change: Population Health and Health System Implications. *Annu Rev Public Health*. 2021;42:293-315. doi:10.1146/annurev-publhealth-012420-105026
8. Cascio WE. Wildland fire smoke and human health. *Sci Total Environ*. 2018;624:586-595. doi:10.1016/j.scitotenv.2017.12.086
9. Kondo MC, De Roos AJ, White LS, et al. Meta-Analysis of Heterogeneity in the Effects of Wildfire Smoke Exposure on Respiratory Health in North America. *Int J Environ Res Public Health*. 2019;16(6). doi:10.3390/ijerph16060960
10. Liu JC, Pereira G, Uhl SA, Bravo MA, Bell ML. A systematic review of the physical health impacts from non-occupational exposure to wildfire smoke. *Environ Res*. 2015;136:120-132. doi:10.1016/j.envres.2014.10.015
11. Adetona O, Reinhardt TE, Domitrovich J, et al. Review of the health effects of wildland fire smoke on wildland firefighters and the public. *Inhal Toxicol*. 2016;28(3):95-139. doi:10.3109/08958378.2016.1145771
12. Navarro KM, Clark KA, Hardt DJ, et al. Wildland firefighter exposure to smoke and COVID-19: A new risk on the fire line. *Sci Total Environ*. 2021;760:144296. doi:10.1016/j.scitotenv.2020.144296
13. US EPA O. Health effects attributed to wildfire smoke. Published online August 13, 2019. Accessed April 20, 2023. <https://www.epa.gov/wildfire-smoke-course/health-effects-attributed-wildfire-smoke>
14. Eisenman DP, Galway LP. The mental health and well-being effects of wildfire smoke: a scoping review. *BMC Public Health*. 2022;22(1):2274. doi:10.1186/s12889-022-14662-z
15. Groot E, Caturay A, Khan Y, Copes R. A systematic review of the health impacts of occupational exposure to wildland fires. *Int J Occup Med Environ Health*. 2019;32(2):121-140. doi:10.13075/ijomh.1896.01326
16. Navarro K. Working in Smoke:: Wildfire Impacts on the Health of Firefighters and Outdoor Workers and Mitigation Strategies. *Clin Chest Med*. 2020;41(4):763-769. doi:10.1016/j.ccm.2020.08.017
17. Kim YH, Warren SH, Krantz QT, et al. Mutagenicity and Lung Toxicity of Smoldering vs. Flaming Emissions from Various Biomass Fuels: Implications for Health Effects from Wildland Fires. *Environ Health Perspect*. 2018;126(1):017011. doi:10.1289/EHP2200
18. Aguilera R, Corringham T, Gershunov A, Benmarhnia T. Wildfire smoke impacts respiratory health more than fine particles from other sources: observational evidence from Southern California. *Nat Commun*. 2021;12(1):1493. doi:10.1038/s41467-021-21708-0
19. Urbanski SP, Hao WM, Baker S. Chemical composition of wildland fire emissions. In: Bytnerowicz, Andrzej; Arbaugh, Michael; Andersen, Christian; Riebau, Allen 2009 *Wildland Fires and Air Pollution Developments in Environmental Science 8* Amsterdam, The Netherlands: Elsevier pp 79-108. 2009;8:79-108. Accessed April 20, 2023. <https://www.fs.usda.gov/research/treesearch/34249>
20. Protect yourself from wildfire smoke. Published November 23, 2022. Accessed April 20, 2023. <https://www.cdc.gov/air/wildfire-smoke/default.htm>
21. Reid CE, Brauer M, Johnston FH, Jerrett M, Balmes JR, Elliott CT. Critical Review of Health Impacts of Wildfire Smoke Exposure. *Environ Health Perspect*. 2016;124(9):1334-1343. doi:10.1289/ehp.1409277
22. Reid CE, Maestas MM. Wildfire smoke exposure under climate change: impact on respiratory health of affected communities. *Curr Opin Pulm Med*. 2019;25(2):179-187. doi:10.1097/MCP.0000000000000552
23. Doubleday A, Sheppard L, Austin E, Busch Isaksen T. Wildfire smoke exposure and emergency department visits in Washington State. *Environ Res Health*. 2023;1(2):025006. doi:10.1088/2752-5309/acd3a1
24. Chen H, Samet JM, Bromberg PA, Tong H. Cardiovascular health impacts of wildfire smoke exposure. *Part Fibre Toxicol*. 2021;18(1):2. doi:10.1186/s12989-020-00394-8
25. Wettstein ZS, Hoshiko S, Fahimi J, Harrison RJ, Cascio WE, Rappold AG. Cardiovascular and Cerebrovascular Emergency Department Visits Associated With Wildfire Smoke Exposure in California in 2015. *J Am Heart Assoc*. 2018;7(8). doi:10.1161/JAHA.117.007492
26. DeFlorio-Barker S, Crooks J, Reyes J, Rappold AG. Cardiopulmonary Effects of Fine Particulate Matter Exposure among Older Adults, during Wildfire and Non-Wildfire Periods, in the United States 2008-2010. *Environ Health Perspect*. 2019;127(3):37006. doi:10.1289/EHP3860
27. Haikerwal A, Akram M, Del Monaco A, et al. Impact of Fine Particulate Matter (PM2.5) Exposure During Wildfires on Cardiovascular Health Outcomes. *J Am Heart Assoc*. 2015;4(7). doi:10.1161/JAHA.114.001653
28. Gan R, Vaidyanathan A, Ford B, et al. Distributed lag association between wildfire smoke and cardiopulmonary-related morbidity during the 2012 Washington wildfires. *Environ Health Perspect*. 2018;2017(1):239. doi:10.1289/ehp.2017.2017-239
29. Schuller A, Montrose L. Influence of Woodsmoke Exposure on Molecular Mechanisms Underlying Alzheimer's Disease: Existing Literature and Gaps in Our Understanding. *Epigenet Insights*. 2020;13:2516865720954873. doi:10.1177/2516865720954873
30. Grant E, Runkle JD. Long-term health effects of wildfire exposure: A scoping review. *The Journal of Climate Change and Health*. 2022;6:100110. doi:10.1016/j.joclim.2021.100110
31. Amjad S, Chojecki D, Osornio-Vargas A, Ospina MB. Wildfire exposure during pregnancy and the risk of adverse birth outcomes: A systematic review. *Environ Int*. 2021;156:106644. doi:10.1016/j.envint.2021.106644
32. Humphreys A, Walker EG, Bratman GN, Errett NA. What can we do when the smoke rolls in? An exploratory qualitative analysis of the impacts of rural wildfire smoke on mental health and wellbeing, and opportunities for adaptation. *BMC Public Health*. 2022;22(1):41. doi:10.1186/s12889-021-12411-2
33. Doubleday A, Schulte J, Sheppard L, et al. Mortality associated with wildfire smoke exposure in Washington state, 2006-2017: a case-crossover study. *Environ Health*. 2020;19(1):4. doi:10.1186/s12940-020-0559-2
34. Chen G, Guo Y, Yue X, et al. Mortality risk attributable to wildfire-related PM2.5 pollution: a global time series study in 749 locations. *The Lancet Planetary Health*. 2021;5(9):e579-e587. doi:10.1016/S2542-5196(21)00200-X

WEDGE | ENVIRONMENTAL & OCCUPATIONAL HEALTH SCIENCES



This material is based upon work supported by the National Science Foundation (NSF) under Awards #2103713 and #1940034. Additional support was provided by grant #P30ES0070 from the National Institute of Environmental Health Sciences (NIEHS). Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the NSF or NIEHS.

*Content by Matias Kormacher and Ashley Moore
Last updated 7/2023*